



# CONTRACTOR KING<sup>®</sup>

Pneumatic Airless Sprayers



PROVEN QUALITY. CUTTING EDGE TECHNOLOGY.

# CONTRACTOR KING<sup>®</sup> PNEUMATIC SPRAYER

Introducing the newest member of the King range – the Contractor King Sprayer! Specially designed for one-man operation and high performance, this affordable line of pneumatic sprayers is the perfect addition to any Contractor fleet. Available in 310, 415 and 500 bar models, there's one for every job!

## PROVEN KING QUALITY

### Anti-freezing technology

- Field-proven design virtually eliminates ice formation for maximum uptime
- Durable aluminum, steel and composite construction for years of service
- Ensures a superior finish without pulsation, even with multiple guns
- Simple design for easy maintenance
- Oversized porting for maximum airflow


## EASY TO MOVE AND TRANSPORT

- Nearly 38kg lighter than comparable models for easy one-person handling
- Chrome-plated welded steel frame for years of service
- Integrated lifting points for easy positioning on any jobsite
- Puncture-proof wheels are resistant to construction debris for maximum convenience



### ANTIFREEZE AIR PURGE CONTROL

- Allows air to be bled keeping the system ice-free in high risk freezing conditions



### PILOT VALVES EXTERNAL

- Keeps air lines isolated to prevent ice formation

### RESET BUTTON/ MANUAL INTERRUPTION

- Allows manual restart in case of ice accumulation

PATENTED



**ENDURANCE PUMPING SYSTEM FOR QUICK AND EASY PUMP REMOVAL AND MAINTENANCE OPERATIONS DIRECTLY ON THE WORKPLACE**  
**NOTHING IS FASTER!**

## SIMPLE MAINTENANCE

### Proven design and performance

- QuickChange™ Endurance pump, for quick and easy removal and maintenance of the pump unit directly on the job site
- Chromex™ shaft and stainless steel cylinder for the highest level of durability and performance
- Range compatible design uses the same wear parts as other King sprayers

## Remove the pump in 3 easy steps



- 1 Remove joint of the suction tube of paint inlet and pipe



- 2 Loosen the nut block



- 3 Rotate the pump to remove it



# CONTRACTOR KING<sup>®</sup> PNEUMATIC SPRAYER

## COMFORT MEETS PERFORMANCE INTRODUCING THE SILVER PLUS<sup>™</sup> HP<sup>\*</sup> HIGH PRESSURE AIRLESS SPRAY GUN

With a compact, durable design and external fluid passage, this legendary model keeps your hand rested while offering all-day spraying comfort.

- With nominal pressure up to 500 bar
- Up to 35% lighter than other pistols in its class
- Easy-press trigger for all-day comfort
- Durable steel and aluminum design with oversized fluid passages for less pressure loss
- The convenience of a single gun that can work with all units in the fleet

\* Included with the 60:1, 70:1 and Big 150 full models



### BIG 150 “READY TO SPRAY” PACKAGES PRE-CONFIGURED WITH 45 METRES OF HOSE FOR BIG JOBS!

- With all components and flexible hose large diameter
- To maximize productivity right from the start
- The ultimate in convenience and value
- Available for all Contractor King models

## REGARDLESS OF THE TYPE OF JOB, GRACO HAS THE PERFECT KING UNIT FOR YOU

### THE RANGE KING



MODEL	KING E-SERIES	CONTRACTOR KING	KING
INPUT POWER	Electric (120V / 240V)	Pneumatics	Pneumatics
PORTABILITY	---	----	---
PUMPING	Xtreme	Endurance	Xtreme
EASY MAINTENANCE	----	----	----
TOOLBOX	Yes	No	Yes
PISTOL	XTR+ gun with filter	Silver Plus HP* gun without filter	XTR+ gun with filter

\* The Contractor King 45:1 unit comes with the Silver Plus gun


## IDEAL FOR PROFESSIONALS WHO WANT TO MAXIMIZE PRODUCTIVITY AND PORTABILITY



SCAN FOR MORE INFORMATION  
[GRACO.COM/CONTRACTORKING](https://graco.com/contractorking)

CONTRACTOR KING<sup>®</sup>  
PNEUMATIC SPRAYER

CREATE THE CONFIGURATION THAT BEST SUITS YOUR NEEDS  
WITH THESE EXCELLENT ACCESSORIES!



PUMPING	
19D954	Pumping kit 45:1 (290cc)
19D952	60:1 Pump Kit (220cc)
19D951	70:1 Pump Kit (180cc)
GUNS	
273329	Silver Plus Pistol, 2-finger trigger (345 bar)
273346	Silver Plus Pistol, 4-finger trigger (345 bar)
273334	Silver Plus HP Pistol, 2-finger trigger (500 bar)
273335	Silver Plus HP Pistol, 4-finger trigger (500 bar)
OTHERS	
25B619	Stainless Steel Tank Kit
16V583	Paint outlet filter kit
19D953	Lifting ring kit
19D955	Air filter and lubricator kit
236987	1/4 in. NPSM Female/Male Swivel Fitting (510 bar)
184278	Seal nut wrench
18F785	Heater mounting kit

HOSE AND GUN KIT	
19D624	15m hose, whip hose, Silver Plus gun with 2-finger trigger (310 bar)
19D646	45m hose, whip hose, Silver Plus gun with 2-finger trigger (310 bar)
19D626	15m hose, whip hose, Silver Plus gun with 4-finger trigger (310 bar)
19D650	45m hose, whip hose, Silver Plus gun with 4-finger trigger (310 bar)
19D625	15m hose, whip hose, Silver Plus HP gun with 2-finger trigger (500 bar)
19D647	45m hose, whip hose, Silver Plus HP gun with 2-finger trigger (500 bar)
19D627	15m hose, whip hose, Silver Plus HP gun with 4-finger trigger (500 bar)
19D651	45m hose, whip hose, Silver Plus HP gun with 4-finger trigger (500 bar)
MATERIAL TUBES	
H42506	1/4 in. x 1.8 m (310 bar) whip hose
H72506	1/4 in. x 1.8 m (500 bar) whip hose
H43850	Hose 3/8 in. x 15 m (310 bar)
H73850	Hose 3/8 in. x 15 m (500 bar)



TECHNICAL SPECIFICATIONS  
ALL UNITS ARE SUPPLIED COMPLETE AND READY TO SPRAY:



\* Full package and Big 150 only.  
\*\* The gun included depends on the package chosen.  
\*\*\* Big 150 packages include 3 tubes, for a total length of 45 m.

MODEL		45 : 1	60 : 1	70 : 1
Code	Bare unit	279005	279010	279013
	Complete (2 finger pistol)	279006	279011	279014
	Complete (4 finger pistol)	279026	279028	279030
	Big 150 (2-finger pistol)	279007	279012	279022
	Big 150 (4-finger pistol)	279027	279029	279031
Maximum flow rate - l/min (gpm)		17.4 (4.6)	12.8 (3.4)	10.9 (2.9)
Maximum Operating Fluid Pressure - bar (psi)		310 (4500)	415 (6000)	500 (7250)
Maximum Operating Air Pressure - bar (PSI)		7 (100)	7 (100)	7 (100)
Pneumatic motor		XL6500	XL6500	XL6500
Flow rate per pump cycle - cc		290	220	180
Weight - kg (lb)		65 (142)	67 (147)	68 (149)
CHARACTERISTICS				
Anti-freezing technology		-	-	-
Durable and portable design		-	-	-
Pump type		Endurance QuikChange	Endurance QuikChange	Endurance QuikChange
Piston rod		Chromex	Chromex	Chromex
Shirt		Stainless steel	Stainless steel	Stainless steel
Gasket		UHMWPE/Leather	UHMWPE/Leather	UHMWPE/Leather
External filter		Optional	Optional	Optional
Reservoir		Optional	Optional	Optional
COMPOSITION*				
Nozzles		XHD417 + XHD519	XHD417 + XHD519	XHD417 + XHD519
Nozzle protection		XHD (XHD001)	XHD (XHD001)	XHD (XHD001)
Pistol**	Silver Plus, 2 fingers (273329)	Silver Plus HP, 2 fingers (273334)	Silver Plus HP, 2 fingers (273334)	
	Silver Plus, 4 fingers (273346)	Silver Plus HP, 4 fingers (273335)	Silver Plus HP, 4 fingers (273335)	
Hose***		3/8in.x15m(H73850)	3/8in.x15m(H73850)	3/8in.x15m(H73850)
Fwhip-flexible		1/4in.x1.8m(H72506)	1/4in.x1.8m(H72506)	1/4in.x1.8m(H72506)
Toolbox		N/A	N/A	N/A
MANUAL				
		3A9121	3A9121	3A9121



## OUR PROMISE TO YOU

Since 1926, **the innovation, the quality and the assistance of absolute excellence** are at the heart of everything Graco does.

### Experience in innovation

Our focus on innovation results in industry-leading products and equipment with technologically advanced features, cutting-edge design, high performance and unmatched reliability. In short, innovation is how you get better products!

### Build quality

You are investing in high-quality products that are built to last for years of reliable service. Plus, we work with our customers to better understand how our products are used in the field, then use their experiences to improve performance and durability.



### A+ Service, consistently

You can experience A+ Service by contacting any of our support service options, no matter where you are located in the world. We will listen to your situation and work methodically to resolve it as quickly as possible. We are guided by principles of integrity and a customer service vision that focuses on collaboration and relationships, not transactions.



We are here to answer your questions and help you meet your needs:  
[www.graco.com/contact](http://www.graco.com/contact)

Graco is ISO 9001 certified.

©2022 Graco Distribution BV 3J0336EN-A 08/22 Printed in Europe.

All written and pictorial data contained herein is based on product information available at the time of publication. Graco reserves the right to make changes at any time without notice. All other names or brands are for identification purposes only and are trademarks of their respective owners. For more information on Graco intellectual property, see [www.graco.com/patent](http://www.graco.com/patent) or [www.graco.com/trademarks](http://www.graco.com/trademarks).